# The Trail Inventory of Windom WMD

Windom, MN





Prepared By: Federal Highway Administration Central Federal Lands Highway Division March, 2012



### TABLE OF CONTENTS

<u>SECTION</u>		<u>PAGE</u>
I.	TRAIL AND TRAIL FEATURE SUMMARIES	1 - 1
II.	TRAIL LOCATION MAPS	2 - 1
III.	TRAIL IDENTIFICATION LIST	3 - 1
IV.	TRAIL CONDITION RATING SHEETS	4 - 1
V.	TRAIL DEFICIENCY RATING SHEETS	5 - 1
VI.	PHOTOGRAPHIC SHEETS	6 - 1
VII.	GLOSSARY	i

#### **Windom WMD**

#### **Trail and Trail Feature Summaries**

Trail Miles and Percentages by Surface Type and Condition

Trail Surface	Excel	lent	Total	
Туре	Miles	%	Miles	
Gravel	0.46	100%	0.46	
Asphalt	0.76	100%	0.76	
Mowed	3.80	100%	3.80	
Total	5.02	100%	5.02	

Trail Miles and Percentages by Trail Classification and Condition

Trail	Excellent	Total
Classification	Miles	% Miles
тсз	3.50 100	% 3.50
TC4	1.52 100	<mark>% 1.52</mark>
Total	5.02 100	<mark>% 5.02</mark>

<sup>\*</sup>Admin Roads are included in the inventory but are not rated for condition.

#### **Trail Features**


Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T300	Other	1	No	0.00	WIND_C2_019 8
T300	Trailhead	1	No	0.00	WIND_C2_019 7
T300	Sign	1	No	0.34	WIND_C2_019 9
T302	Trailhead	1	No	0.00	WIND_C2_020 4
T302	Bench	1	No	0.50	
T302	Bench	3	No	0.76	
T303	Trailhead	1	No	0.00	WIND_C2_020 7
T303	Bench	1	No	0.33	
T303	Bench	1	No	0.59	
T304	Trailhead	1	No	0.00	WIND_C2_021 0
T304	Bench	1	No	0.52	
T400	Trailhead	1	No	0.00	WIND_C2_073 7
T400	Lookout/Ob Deck	1	No	0.19	
T400	Bench	1	No	0.33	
T400	Bridge -sf	125	No	0.34	WIND_C2_073 8
T400	Begin Section	1	No	0.35	
T400	Lookout/Ob Deck	1	No	0.37	
T400	Culvert -lf	30	No	0.38	
T400	Bench	1	No	0.41	
T400	Sign	1	No	0.42	WIND_C2_019 2
T400	Culvert -If	27	No	0.42	
T400	Other	1	No	0.42	
T400	Lookout/Ob Deck	1	No	0.42	
T400	Sign	1	No	0.45	WIND_C2_019 4
T400	Begin Section	1	No	0.54	WIND_C2_074 2
T400	Begin Section	1	No	0.55	WIND_C2_074
T400	Bench	1	No	0.55	
T400	Begin Section	1	No	0.57	WIND_C2_019 5
T400	Other	1	No	0.57	WIND_C2_018 5

T400	Sign	1	No	0.57	WIND_C2_018 6
T400	Lookout/Ob Deck	1	No	0.65	
T400	Bench	1	No	0.87	
T401	Trailhead	1	No	0.00	WIND_C2_074 5
T401	Sign	1	No	0.00	WIND_C2_020 1
T401	Begin Section	1	No	0.10	WIND_C2_074 7
T401	Lookout/Ob Deck	1	No	0.15	
T401	Boardwalk -If	40	No	0.15	WIND_C2_074 6
T401	Begin Section	1	No	0.16	WIND_C2_074 9
T401	Lookout/Ob Deck	1	No	0.23	

sf - square feet If - linear feet


cf - cubic feet

### Windom WMD Trail Location Map









## Windom WMD Trail Location Map







Miles 0 0.55 1.1



#### Trails ID

Station Name: Windom WMD Org Code: 32587

Trail Number	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)
T300	Reconciliation Trail	Mowed	10061536	0.34	From 225th Ave. to Sign at End of Trail
T302	Northern Tall Grass Prairie Trail	Mowed	10061535	1.21	From 252nd Street to CR-63
T303	Northern Tall Grass Prairie Trail 2	Mowed	10061535	0.59	From 252nd Street to End of Trail
T304	Northern Tall Grass Prairie Trail	Mowed	10061535	1.36	From 252nd Street to Sign at End of Trail
T400	Wings on the Prairie Discover Center Trail	Asphalt	10055243	0.76	From Headquarter's Parking Area (Rte 934) to End of Sec 004
T400	Wings on the Prairie Discover Center Trail	Mowed	10058503	0.30	From Headquarter's Parking Area (Rte 934) to End of Sec 004
T401	Worthington WPA Trail	Gravel	10012194	0.46	From Worthington Parking Area (Rte 933) to Worthington Parking Area (Rte 933)



Trail Name:Reconciliation TrailRefuge Name:Windom WMDTrail Number:T300Region: 3Total Length:0.34 Miles

Intersection


Station Boundary

Water Bar

Section Number	001
Section Length (miles)	0.34
SAMMS Number	10061536
Rating Date	05/10/2011
Trail Section Information	
Trail Class	TC3
Surface Type	Mowed
Surface Firmness	Firm
Width (inches)	106
Average Grade (%)	1.8
Average X-slope (%)	5.20
Trail Condition Information	
Deferred Maintenance	
CRV	\$19,467
FCI	0.00
Condition	Excellent

Drainage Structure

Deferred Maintenance	CRV	FCI	Condition
	\$19,467	0.00	Excellent



	0.2	_	-		0.4		Miles	
	Excellent	Go	ood Fair		Poor =	Very Po	or 📁	Admin Road
<u> </u>	Begin Section	<b></b>	Check Dam		Step Feature	$\boxtimes$	Gate	- \(\sigma^N_2\)
	Trailhead	~	Retaining Wall		Max. Grade	$\succ$	Bridge	W TO E
Ŕī	Trail Sign		Raised Trail Structure	₩	Min. Width	<del>7</del>	Bench	Š
	Drainage Structure	_	Water Bar	+	Intersection	×	Other	Station Boundary

Trail Name: Northern Tall Grass Prairie Trail 1 Refuge Name: Windom WMD

**Trail Number:** T302 Region: 3 Total Length: **1.21 Miles** 

Section Number	001
Section Length (miles)	1.21
SAMMS Number	10061535
Rating Date	05/10/2011
Trail Section Information	
Trail Class	TC3
Surface Type	Mowed
Surface Firmness	Paved
Width (inches)	120
Average Grade (%)	1.8
Average X-slope (%)	5.20
Trail Condition Information	
Deferred Maintenance	
CRV	\$78,429
FCI	0.00
Condition	Excellent

Deferred Maintenance	CRV	FCI	Condition
	\$78,429	0.00	Excellent






Trail Name: Northern Tall Grass Prairie Trail 2 Refuge Name: Windom WMD

Trail Number: T303 Region: 3 Total Length: 0.59 Miles

Section Number	001
Section Length (miles)	0.59
SAMMS Number	10061535
Rating Date	05/10/2011
Trail Section Information	
Trail Class	TC3
Surface Type	Mowed
Surface Firmness	Firm
Width (inches)	120
Average Grade (%)	1.8
Average X-slope (%)	5.20
Trail Condition Information	
Deferred Maintenance	
CRV	\$38,242
FCI	0.00
Condition	Excellent

Deferred Maintenance	CRV	FCI	Condition
	\$38,242	0.00	Excellent



Northern Tall Grass Prairie Trail 3 Refuge Name: Windom WMD Trail Name:

■ Water Bar

Raised Trail Structure

Trail Number: T304 Total Length: 1.36 Miles Region: 3

Max. Grade

Min. Width

Intersection

Bridge

Bench

Station Boundary

Section Number	001
Section Length (miles)	1.36
SAMMS Number	10061535
Rating Date	05/10/2011
Trail Section Information	
Trail Class	TC3
Surface Type	Mowed
Surface Firmness	Firm
Width (inches)	120
Average Grade (%)	1.8
Average X-slope (%)	5.20
Trail Condition Information	
Deferred Maintenance	
CRV	\$88,152
FCI	0.00
Condition	Excellent

Trailhead

Trail Sign

Drainage Structure

Deferred Maintenance	CRV	FCI	Condition
	\$88,152	0.00	Excellent




			•	_		1		iviles
	Excellent	<b>G</b> o	od Fair		Poor =	Very Poo	or 💮	Admin Road
	Begin Section Trailhead	<u> </u>	Check Dam Retaining Wall		Step Feature Max. Grade		Gate Bridge	W E
7	Trail Sign	1	Raised Trail Structure	₩	Min. Width	<del>7</del>	Bench	S
	Drainage Structure		Water Bar	+	Intersection	×	Other	Station Boundary

Trail Name: Wings on the Prairie Discover Cen Refuge Name: Windom WMD

**Trail Number:** T400 Region: 3 Total Length: **1.06 Miles** 

		J			ŭ
Section Number	001	002	003	004	005
Section Length (miles)	0.37	0.30	0.03	0.06	0.30
SAMMS Number	10055243	10055243	10055243	10055243	10058503
Rating Date	07/25/2006	07/25/2006	07/25/2006	07/25/2006	05/10/2011
Trail Section Information					
Trail Class	TC4	TC4	TC4	TC4	TC4
Surface Type	Asphalt	Asphalt	Asphalt	Asphalt	Mowed
Surface Firmness	Hard	Hard	Hard	Hard	Firm
Width (inches)	60	60	60	60	60
Average Grade (%)	0.8	0.8	0.8	0.8	0.8
Average X-slope (%)	1.20	1.20	1.20	1.20	1.20
Trail Condition Information					
Deferred Maintenance					
CRV	\$67,102	\$54,407	\$5,441	\$10,881	\$9,723
FCI	0.00	0.00	0.00	0.00	0.00
Condition	Excellent	Excellent	Excellent	Excellent	Excellent

Deferred Maintenance	CRV	FCI	Condition
	\$147,554	0.00	Excellent





Trail Name: Worthington WPA Trail Refuge Name: Windom WMD T401 Trail Number: Region: 3

Section Number 001 002 003 Section Length (miles) 0.15 0.13 0.18 10012194 10012194 10012194 SAMMS Number 07/25/2006 07/25/2006 07/25/2006 Rating Date Trail Section Information TC4 TC4 TC4 Trail Class Gravel Gravel Gravel Surface Type Surface Firmness Hard Hard Hard Width (inches) 72 72 72 Average Grade (%) 2.2 2.2 2.2

0.70

Average X-slope (%)		
Trail Condition Information		
Deferred Maintenance		

Bolottoa Maintonarioo			
CRV	\$25,456	\$22,059	\$30,544
FCI	0.00	0.00	0.00
Condition	Excellent	Excellent	Excellent

#### **Trail Condition TOTALS**

0.70

0.70

Deferred Maintenance	CRV	FCI	Condition
	\$78,059	0.00	Excellent

Total Length: 0.46 Miles

#### TRAIL DEFICIENCY

No Deficiencies

TRAIL NUMBER: T300 STATION: Windom WMD DATE: 05/10/2011



Photo # WIND\_C2\_0197 - MP 0.00 - Trailhead

TRAIL NUMBER: T300 STATION: Windom WMD DATE: 05/10/2011



Photo # WIND\_C2\_0198 - MP 0.00 - Other

TRAIL NUMBER: T300 STATION: Windom WMD DATE: 05/10/2011



Photo # WIND\_C2\_0199 - MP 0.34 - Sign

TRAIL NUMBER: T302 STATION: Windom WMD DATE: 05/10/2011



Photo # WIND\_C2\_0204 - MP 0.00 - Trailhead

TRAIL NUMBER: T303 STATION: Windom WMD DATE: 05/10/2011



Photo # WIND\_C2\_0207 - MP 0.00 - Trailhead

TRAIL NUMBER: T304 STATION: Windom WMD DATE: 05/10/2011



Photo # WIND\_C2\_0210 - MP 0.00 - Trailhead

TRAIL NUMBER: T400 STATION: Windom WMD DATE: 07/25/2006



Photo # WIND\_C2\_0737 - MP 0.00 - Trailhead

TRAIL NUMBER: T400 STATION: Windom WMD DATE: 07/25/2006



Photo # WIND\_C2\_0738 - MP 0.34 - Bridge -sf

TRAIL NUMBER: T400 STATION: Windom WMD DATE: 05/10/2011



Photo # WIND\_C2\_0192 - MP 0.42 - Sign

TRAIL NUMBER: T400 STATION: Windom WMD DATE: 05/10/2011



Photo # WIND\_C2\_0194 - MP 0.45 - Sign

TRAIL NUMBER: T400 STATION: Windom WMD DATE: 07/25/2006



Photo # WIND\_C2\_0742 - MP 0.54 - Begin Section

TRAIL NUMBER: T400 STATION: Windom WMD DATE: 05/10/2011



Photo # WIND\_C2\_0186 - MP 0.57 - Sign

TRAIL NUMBER: T400 STATION: Windom WMD DATE: 07/25/2006



Photo # WIND\_C2\_0743 - MP 0.55 - Begin Section

TRAIL NUMBER: T400 STATION: Windom WMD DATE: 05/10/2011



Photo # WIND\_C2\_0185 - MP 0.57 - Other

TRAIL NUMBER: T400 STATION: Windom WMD DATE: 05/10/2011



Photo # WIND\_C2\_0195 - MP 0.57 - Begin Section

TRAIL NUMBER: T401 STATION: Windom WMD DATE: 05/10/2011



Photo # WIND\_C2\_0201 - MP 0.00 - Sign

TRAIL NUMBER: T401 STATION: Windom WMD DATE: 07/25/2006



Photo # WIND\_C2\_0745 - MP 0.00 - Trailhead

TRAIL NUMBER: T401 STATION: Windom WMD DATE: 07/25/2006



Photo # WIND\_C2\_0746 - MP 0.15 - Boardwalk -If

TRAIL NUMBER: T401 STATION: Windom WMD DATE: 07/25/2006



Photo # WIND\_C2\_0747 - MP 0.10 - Begin Section

TRAIL NUMBER: T401 STATION: Windom WMD DATE: 07/25/2006



Photo # WIND\_C2\_0749 - MP 0.16 - Begin Section

#### **Glossary of Terms and Abbreviations**

Acc Info Accessibility information available at trailhead.

**Action** Action required to correct deficiency.

Admin Road Administration Road. Admin Roads signed and

advertised as trails are included in the trail inventory but

a condition assessment is NOT done.

**Alt SAMMS** SAMMS number of Alternate Facility Type.

Alt Type Alternate Facility Type. Trail lies on a feature such as a

levee, dam, administrative road or bridge, which has a

separate SAMMS number.

**AvgGrade** The average grade of the trail (%). The average of five

measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

**AvgSlope** The average cross-slope of the trail (%). The average of

five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

**Check Dam** A small dam constructed across a drainage ditch, swale,

or channel to lower the speed of concentrated flows.

**Condition** Subjective rating of trail based on Facility Condition

Index (FCI):

FCI </= - .01 = Excellent FCI .02 - .05 = Good FCI .06 - .10 = Fair FCI .11 - .20 = Poor FCI > - .20 = Failed

**Crib Wall** Retaining wall.

Current

Replacement Value

(CRV)

The value of an asset determined by the estimated cost of

replacing it.

**Def type** Deficiency Type: Trail Structure, Drainage, Erosion,

Obstacle, Trail Location, Other.

Deferred

**Maintenance (DM)** 

Maintenance that was not performed when scheduled.

i

**Elem ID** Unique identifier for each trail section: Org Code-Trail

Number-Section Number.

**Facility** 

**Condition Index (FCI)** 

DM/CRV

**Grouped Features** Grouped features include non-unique signs (mileposts,

interpretive signs, species identification, etc.), water bars, check dams, steps, drain and drainage dips. For any given grouped feature, a GPS point and photo are taken for the first occurrence only and the total number of features in the group are entered into the "quantity"

field of the data dictionary.

**Info Type** Type of accessibility information available at trailhead:

brochure, sign or other.

**Item** Item on which the "Action" (see above) will be

performed.

Manage Use Managed use of the trail: HIKE, BIKE, NSPC (non-

specified), PACK, POR (portage), SNOWSHOE, XSKI

(cross-country ski), OTHER.

**MP** Distance of a trail feature or deficiency from the

Trailhead.

**Puncheon** Log footbridge used in area of poor drainage.

Raised Trail Structure Boardwalk, Turnpike, Puncheon.

**T Class** Trail Class: I-V (see Appendix? for trail class

descriptions).

**Tr Desig** Trail Designation: Standard (Std), National Historic Trail

(NHT), National Recreation Trail (NRT), National

Scenic Trail (NST).

**Turnpike** Trail tread elevated with dirt, rock or other aggregate

from parallel side ditches and held in place by logs.